



# DOUBLE MOTOR MOTORIZATION SOLUTION

- TWINMAT
- WIRED / REMOTE / APP CONTROL
- ACCESSORY

**MOTECK**  
[www.motECK.com](http://www.motECK.com)



## COMPLETE & HIGH QUALITY SOLUTION

- Full product coverage from basic to luxury functions to satisfy all kinds of end-user needs
- Advanced 2.4GHz wireless technology to offer an easy and interference-free user control
- "3 Low", low noise, low standby power consumption, and low built-in height to provide the best user experience
- Backup battery box equipped for each product to allow emergency lowering when mains power is cut off
- CE certified product to ensure user safety
- 100% loading and noise acceptance verified before shipping to prevent any defect

## RELIABLE & WELL-EXPERIENCED MANUFACTURE

- Immersed in the field of automation for 30 years
- Produced more than 15,000,000 actuators
- Preferred supplier for worldwide bedding leaders

4,500N

Basic | Slatted Bed

## WIRED SET



TW43



H2Z



Stroke: 87 / 69 mm  
 Battery: 9V DC\*1  
 IP Protection Level: IP20

6,000N

Advanced | Box Spring Bed

## WIRE SET-I



TW61



H3N



Stroke: 87 / 69 mm  
 Battery: 9V DC\*2  
 IP Protection Level: IP43

## BUILT-IN REMOTE SET



TW43



TXZ



Stroke: 87 / 69 mm  
 Battery: 9V DC\*2  
 IP Protection Level: IP20  
 Built-in RF receiver

## WIRE SET-II



TW61



H4N



Stroke: 87 / 69 mm  
 Battery: 9V DC\*2  
 IP Protection Level: IP43

## STANDARD REMOTE SET-I



TW61



TXT



TXA



Stroke: 87 / 69 mm  
Battery: 9V DC\*2  
IP Protection Level: IP43  
External RF receiver

## BUILT-IN REMOTE SET-I



TW61



TXT



Stroke: 87 / 69 mm  
Battery: 9V DC\*2  
IP Protection Level: IP43  
Built-in RF receiver

## STANDARD REMOTE SET-II



TW61



TX2T



TXA



Stroke: 87 / 69 mm  
Battery: 9V DC\*2  
IP Protection Level: IP43  
External RF receiver

## BUILT-IN REMOTE SET-II



TW61



TX2T



Stroke: 87 / 69 mm  
Battery: 9V DC\*2  
IP Protection Level: IP43  
Built-in RF receiver

# 6,000N

Luxury | Box Spring Bed

## STANDARD REMOTE MASSAGE SET



TW61



TXH



TXA



VM01



Stroke: 87 / 69 mm  
Battery: 9V DC\*2  
IP Protection Level: IP43  
External RF receiver  
Massage & Memory Function

## BUILT-IN REMOTE MASSAGE SET



TW61



TXH



VM01



Stroke: 87 / 69 mm  
Battery: 9V DC\*2  
IP Protection Level: IP43  
Built-in RF receiver  
Massage & Memory Function

# OPTIONS

## ACTUATOR



FD20

Max. Load: 2,000N  
Max. Speed: 33mm/s  
Stroke: 50~250mm  
IP Level: IP42  
Certificate: EN55014-1



FD60

Max. Load: 6,000N  
Max. Speed: 17mm/s  
Stroke: 50~300mm  
IP Level: IP42  
Certificate: EN55014-1

## BLUETOOTH RECEIVER



TBA

Bluetooth 4.0  
Customized APP available

## SAFETY PLUG



SP4

Wall Plug Type  
Plug: EU/US/UK



SP5

Power Cord Type  
Plug: EU/US/UK





## ABOUT MOTECK

Drawing on a heritage of more than 20 years in designing and producing reliable electromotive drive and control system, Moteck® products and solutions are comprehensively adopted by well-known customers worldwide. All products are tested and certified by international standards, CE, UL, PSE and RoHS, according to different countries and industrial requirements. With strong capability of manufacturing, product development and system integration, we can meet specific customization needs.

## ADVANTAGE

- Satisfied Quality to Price Ratio
- High Creativity and Flexibility
- Customization Available for Diversified Specification
- Harmonious Integration of Electronic and Mechanical Engineering
- Professional Global Operations
- Manufacturing Capabilities with Large Scale Capacity



# MOTECK®

1F-1, No.79, Sec. 1, Xintai 5th Rd., Xizhi Dist., New Taipei City 22101, Taiwan (R.O.C.)

Tel: +886-2-2698-1220 Fax: +886-2-2698-1324

E-mail: sales@moteck.com.tw Website: www.moteck.com

2016 March printed in Taiwan

