

Hand Control HS10

HS10 hand control is compatible with MOTECK's waterproof control box that belongs to the analog communication category. It can be configured with up to 10 buttons and is mainly used in the medical application.




Features

- Main applications: Medical Care
- Max. motor number to control: 4
- Available number of buttons: 10 max.
- IP protection level: IPX5
- Color: Light gray (RAL 7035)
- With hook for easy placement
- Cable length: Total 880mm in length with 420mm spiral cable

Compatibility

Product	Model	Compatible requirement
Control box	CM41, CM45, CB4P	<ul style="list-style-type: none">- Moteck control category P1, without position memory function- With Moteck H-type DIN plug




8-pin DIN plug




H-type

Dimensions

Unit: mm





Standard Panel Artwork



Button definition:


Code A

- ① Actuator #1 extends
- ② Actuator #1 retracts
- ③ Actuator #2 extends
- ④ Actuator #2 retracts




Code B, C


- ① Actuator #1 extends
- ② Actuator #1 retracts
- ③ Actuator #1&2 extend
- ④ Actuator #1&2 retract
- ⑤ Actuator #2 extends
- ⑥ Actuator #2 retracts
- ⑦ Actuator #3 extends
- ⑧ Actuator #3 retracts




Code D

- ① Actuator #1 extends
- ② Actuator #1 retracts
- ③ Actuator #2 extends
- ④ Actuator #2 retracts
- ⑤ Actuator #3 extends
- ⑥ Actuator #3 retracts



Code	E
Artwork	

- Code E
- ① Actuator #1 extends
 - ② Actuator #1 retracts
 - ③ Actuator #1&2 extend
 - ④ Actuator #1&2 retract
 - ⑤ Actuator #2 extends
 - ⑥ Actuator #2 retracts
 - ⑦ Actuator #3&4 extend
 - ⑧ Actuator #3&4 retract
 - ⑨ Actuator #3 extends, #4 retracts
 - ⑩ Actuator #3 retracts, #4 extends



Ordering Key

	HS10 - 08 - 3 C 0 0 8
Button	04~10: 4~10 buttons
Number of motor	2: 2 motors 3: 3 motors 4: 4 motors
Panel artwork code	A~E: Refer to Standard Panel Artwork
Reserved	0
Reserved	0
Cable length	8: Total 880 mm long with 420 mm spiral cable