

Hand Control HS16




HS16 is designed for standing machines, or medical beds. It has up to 12 keys and can drive up to 4 actuators. It is mainly suitable for medical applications.

Features and Options

- Main applications: Medical care
- Max. motor number to control: 4
- Max. number of buttons: 12
- Color: Light grey (RAL 7035)
- Cable length: Total 880mm long with 420mm spiral cable
- IP protection level: IPX4
- Optional plastic hook(30mm) or magnet hook


Compatibility

Product	Model	Compatible requirement
Control box	CM41, CM45, CB4P	<ul style="list-style-type: none"> - MOTECK P1 control category - MOTECK H-type DIN plug



Dimensions

Unit: mm



Standard Panel Artwork

MOTECK P1 control category


► Button definition 1 (Artwork code A, B)

Code	A	B
Artwork		

Button definition 1:

Artwork code A, B

- ① Actuator#1 extends
- ② Actuator#1 retracts
- ③ Actuator#2 extends
- ④ Actuator#2 retracts




► Button definition 2 (Artwork code C, D, E, F)

Code	C	D
Artwork		

Button definition 2:

Artwork code C, D, E, F

- ① Actuator#1 extends
- ② Actuator#1 retracts
- ③ Actuator#1&2 extend
- ④ Actuator#1&2 retract
- ⑤ Actuator#2 extends
- ⑥ Actuator#2 retracts
- ⑦ Actuator#3 extends
- ⑧ Actuator#3 retracts
- ⑨ Actuator#4 extends
- ⑩ Actuator#4 retracts
- ⑪ Actuator#3&4 extend
- ⑫ Actuator#3&4 retract



Code	E	F
Artwork		

Ordering Key

HS16- 04 - 2 M B 0 8

Button	02~12: 2~12 buttons
Number of motor	1: 1 motor 2: 2 motor 3: 3 motor 4: 4 motor
Accessory	3: Plastic hook(30mm) (standard) M: Magnet hook
Panel artwork code	A~F: Refer to Standard Panel Artwork
Reserved	0
Cable length	8: 880mm in length with 420mm spiral

Terms of Use

The user is responsible for the suitability of MOTECK products, and the products listed on the MOTECK website are subject to change without notice. MOTECK reserves the right to terminate sales or delete any products displayed on the website or listed in its catalog.